Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Stal or

UNITED STATES DEPARTMENT OF AGRICULTURE

OFFICE OF AGRICULTURAL INSTRUCTION Washington, D. C.

LEGUMES USED IN SOIL IMPROVEMENT.

- VELVET BEANS are annual legumes. One or more varieties can be grown successfully in nearly all parts of the Gotton Belt. They are usually planted with corn and used for pasture.
- GREY WINTER OR AUSTRIAN WINTER PEAS are field peas which are of most value on the Atlantic Coastal Plain and the Pacific Slope in Washington and Oregon as a winter-cover and green-manure crop.
- YELIOW ANNUAL CLOVER OR MELIIOTUS INDICA is grown chiefly in the South and Southwest as a green manure crop. It is a noxious weed in wheat fields in southern California and Arizona.
- WHITE SWEET CLOVER, Melilotus alba, is a biennial used for forage and soil improvement, over a wider territory than any other legume. Lime is necessary.
- RED CIOVER is the most important leguminous forage and soil-improving crop in the northeastern quarter of the United States. Drainage and a reasonably sweet soil are essential.
- CRIMSON CIOVER is a winter annual, widely cultivated in the Middle Atlantic and Southeastern States for forage and as a cover and green-manure crop. It will grow on poorer soils than most clovers.
- SOY BEANS are used for forage, oil, meal and human food. They grow in about the same regions where corn grows. Their fertilizing value compares favorably with that of other legumes.
- COW PEAS are used more in soil improvement than any other legume because they grow and succeed under such a diversity of conditions.

 They are grown extensively in southern States.
- BUR CLOVER is a winter annual used in the South as a forage cover and green-manure crop.
- ALFALFA is a perennial legume. It succeeds best in a dry climate where water is available for irrigation and thrives only on good soils.
- WHITE CLOVER is grown in pastures mixed with grasses and in this use plays an important role in soil improvement.
- LESPEDEZA, OR JAPAN CIOVER, is a summer annual forage crop of the southeastern United States. It does quite well on sour soils.
- HAIRY VETCH is a winter legume grown in the eastern half of the United States where red clover fails or where crimson clover is not a success. It makes an excellent feed, cover and green-manure crop.

FOUND FOR A FO PROMPENSED BOT SET CITY OF

- GO MARTIN - CARROLATURAL TARKSTINGER Carrolaturgion, D. W.

. The first around a by the late

THE COURT OF STREET CALLS AND A STREET CALLS. THE COURT OF STREET CALLS AND A STREET CALLS. THE CALLS AND A STREET CALLS. THE CALLS AND A STREET CALLS. THE CALLS AND A STREET CALLS.

eritor deposite se entre é en la circulatión de la composition de la circulatión de

And adverse about the second of the second o

THE PART OF THE PA

The properties of the second of the second of the properties of the second of the seco

HITTHER OFFICE OF THE CONTRACT OF THE CONTRACT

The control of the co

entre procession in a federative international last the internation of the last internation in a federation of the last international contract in the contract in the contract international contract in the contr

TO THE COURSE OF THE COURSE OF THE PARTY OF THE PARTY OF THE COURSE OF THE PARTY OF

and the first of the first and the first may be a set of the first of

The state of the s